

Space for Medical Institution Name and Logo

197 ספטמבר / OBGYN/UROL/S159/0080 ט

טופס הסכמה: ניתוח לתיקון של אי נקיטת שתן במאמץ

CONSENT FORM: STRESS INCONTINENCE

Stress incontinence (leakage of urine) is caused as a result of laxity of the support of the urinary bladder and the urethra that appears for different reasons and causes weakness of the sphincter mechanism and loss of control of passing urine.

The operation is done in cases in that stress incontinence results in severe hygienic and social problems and considerable interference with daily function.

There are a number of surgical approaches to the treatment of the problem. The type of chosen operation depends on the cause of the incontinence, the findings, the health state of the patient and the discretion of the surgeon.

The operation is carried out under regional or general anesthesia.

Name of Woman: _____
Last Name First Name Father's Name ID No.

I hereby declare and confirm that I received a detailed verbal explanation from:

Dr. _____
Last Name First Name

regarding the operation for correction of stress incontinence. **Detail the type/name of the operation and the surgical approach** _____

_____ (henceforth: "the primary operation").

I have received an explanation regarding the possible alternative methods of treatment under the circumstances of the case, the chances of success and the risks in every one of these procedures. It has been made distinctly clear to me that complete success cannot be assured for the correction of stress incontinence by operation and in the long run its features are liable to recur.

I hereby declare and confirm that I have received an explanation regarding the side effects after the operation including pain, discomfort and difficulty in emptying the bladder. I have also received an explanation concerning the possible risks and complications during and immediately after the operation including: bleeding, infection of the urine and the operation incision; damage to the urinary bladder and vagina and in rare cases obstruction to the ureters. These complications are liable to require a change of operative approach, that is, moving from an abdominal approach to a vaginal approach or vice versa, or from a laparoscopic method to the "open method" and also treatments and/or operations in the future. I have also received an explanation regarding the possibility of late complications including: disturbances of urination of varying degree up to urinary retention for various and even lengthy periods; frequency and urgency of urination; prolapse of the uterus and walls of the vagina; chronic pelvic pain and pain on sexual intercourse.

I have also received an explanation regarding the possible additional complications relating to the surgical approaches as detailed: of the Marshall Marchetti Krantz operation – the possibility of chronic infection of the pubic bone; of laparoscopic operations – the possibility of damage to pelvic nerves; and of the Sling operation – the possibility of the formation of a fistula between the urethra or urinary bladder and the vagina. These complications are liable to need additional treatments/operations.

I hereby give my consent to perform the primary operation.



Israel Medical Association
Israeli Association of Urologists



Medical Risk Management Co.

